

FIELD NOTES
Illinois State Geological Survey


Location: 2135.95 (.1e)

Top of shaft 526

Ed Lucking
 service garage in
 Bunker Hill

Mine 526 feet

- | | | | | |
|---|-----------|---|---|---------------------------------|
| 70 feet
to top
of $1\frac{1}{2}$
feet coal | } | 10 feet | dirt | |
| | | 2 feet | sandstone | Pitch northeast,
very slight |
| | | 15 feet | soapstone | |
| | | 4 feet | "flint rock" | |
| | | 15 feet | Bluish clay | |
| | | $2\frac{1}{2}$ feet | First vein of coal "No. 6" = No. 7 | DMC |
| | | 2-3 feet | Fire clay | |
| | | 4 feet | Rock slabby, (compare Limestone?)
"scaly" | |
| | | 6 feet | Lime rock, solid | |
| | | 4 feet | slab rock, 2 to 4 inches to 1 foot
thick, with "oyster shells" | |
| | 12 inches | clod [±] , 4 inches to 3 feet, | { top = drift
$1\frac{1}{2}$ feet ±
Blacksmith
3 feet | |
| No. 5? $1\frac{1}{2}$ feet | coal, ±; | | | |
| No. 6 DMC | | Fireclay | | |
| | | Lime rock | | |



By D.M. Collingwood Date 1923

Quadrangle Brighton

County Macoupin Sec. 35 T 7N R 9W

FIELD NOTES
Illinois State Geological Survey

Location 2135.95 (.1e)

Mine

80 feet to coal--coal 4 to 7 feet thick

Information at { Ford Service Station
hardware store C & E Lucking

At Bunker Hill was a first vein above, @ 2/3 way down.

By D.M. Collingwood Date 1923

Quadrangle Brighton

County Macoupin Sec. 35 T 7N R 9W

